

## Author Index for Volumes 71–74

- Allen, T. R., Kupfer, J. A.: Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce-Fir Forests, 74:482
- Álvarez-Pérez, J., Marshall, S. J., Gregson, K.: Resolution Improvement of ERS Scatterometer Data Over Land by Wiener Filtering, 71:261
- Andréfouët, S.: *See* Matsakis, P.
- Andreoli, G.: *See* Solheim, I.
- Armstrong, E. M.: Satellite Derived Sea Surface Temperature Variability Off California During the Upwelling Season, 73:1
- Armstrong, R. L.: *See* Tait, A. B.
- Aslan, Z.: *See* Orun, A. B.
- Asner, G. P., Lobell, D. B.: A Biogeophysical Approach for Automated SWIR Unmixing of Soils and Vegetation, 74:99
- Asner, G. P., Wessman, C. A., Bateson, C. A., Privette, J. L.: Impact of Tissue, Canopy, and Landscape Factors on the Hyperspectral Reflectance Variability of Arid Ecosystems, 74:69
- Asner, G. P.: *See* Privette, J. L.
- Asner, G. P.: *See* White, M. A.
- Axelrad, P.: *See* Komjathy, A.
- Bacour, C.: *See* Jacquemoud, S.
- Baker, J.: *See* Luckman, A.
- Ballans, H.: *See* Lagouarde, J.-P.
- Ballast, A.: *See* de Jong, J.
- Baret, F.: *See* Shabanov, N. V.
- Barnsley, M. J., Hobson, P. D., Hyman, A. H., Lucht, W., Muller, J.-P., Strahler, A. H.: Characterizing the Spatial Variability of Broadband Albedo in a Semidesert Environment for MODIS Validation, 74:58
- Barnsley, M. J.: *See* Lucht, W.
- Barros, A. P.: *See* Bindlish, R.
- Bateson, C. A.: *See* Asner, G. P.
- Bauer, M. E.: *See* Stuckens, J.
- Beardsley, D.: *See* Gill, S. J.
- Beaubien, J.: *See* Cihlar, J.
- Beaudoin, A.: *See* Castel, T.
- Bégué, A.: *See* Nouvellon, Y.
- Belchansky, G. I., Douglas, D. C.: Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, 73:307
- Berg, J.: *See* Simpson, J. J.
- Bijaoui, J.: *See* Durand, D.
- Bindlish, R., Barros, A. P.: Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, 71:67
- Birkett, C. M.: Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, 72:218
- Blumberg, D. G., Freilikher, V., Lyalko, I. V., Vulfson, L. D., Kotlyar, A. L., Shevchenko, V. N., Ryabokononko, A. D.: Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area and the Negev Desert, 71:309
- Boissard, P.: *See* Zribi, M.
- Boles, S. H., Verbyla, D. L.: Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, 72:1
- Born, G. H.: *See* Komjathy, A.
- Borys, R. D.: *See* Pérez, J. C.
- Breaker, L. C., Krasnopolsky, V. M., Maturi, E. M.: GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, 73:198
- Breaker, L. C.: *See* Krasnopolsky, V. M.
- Briantais, J.-M.: *See* Flexas, J.
- Brooks, M. W.: *See* Guenther, G. C.
- Brown, D. G., Duh, J.-D., Drzyzga, S. A.: Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, 71:106
- Brown, L., Chen, J. M., Leblanc, S. G., Cihlar, J.: A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, 71:16
- Brown de Colstoun, E.: *See* Daughtry, C. S. T.
- Bryant, R.: *See* Qi, J.
- Calvet, J.-C.: *See* Wigneron, J.-P.
- Capolsini, P.: *See* Matsakis, P.
- Carder, K. L.: *See* Hu, C.
- Castel, T., Martinez, J.-M., Beaudoin, A., Wegmüller, U., Strozzi, T.: ERS INSAR Data for Remote Sensing Hilly Forested Areas, 73:73
- Cauneau, F.: *See* Durand, D.
- Cerovic, Z.: *See* Flexas, J.
- Chan, J. C.-W.: *See* DeFries, R. S.

- Chang, D.-H., Islam, S.: Estimation of Soil Physical Properties Using Remote Sensing and Artificial Neural Network, 74:534
- Chanzy, A.: *See* Wigneron, J.-P.
- Chen, J.: *See* Cihlar, J.
- Chen, J. M.: *See* Brown, L.
- Cheng, K.-S., Yeh, H.-C., Tsai, C.-H.: An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, 73:46
- Chopping, M.: *See* Rango, A.
- Chopping, M. J.: Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, 74:163
- Chopping, M. J.: Testing a LiSK BRDF Model with in Situ Bidirectional Reflectance Factor Measurements over Semiarid Grasslands, 74:287
- Choudhury, B. J.: Evaluation of a Model Adaptable to Satellite Data for Estimating Daily Gross Photosynthesis, 71:133
- Chunchuzov, I., Vachon, P. W., Li, X.: Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, 74:343
- Chung, C.-J. F.: *See* Schetselaar, E. M.
- Ciarletti, V.: *See* Zribi, M.
- Cihlar, J., Latifovic, R., Chen, J., Beaubien, J., Li, Z.: Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, 71:26
- Cihlar, J., Latifovic, R., Chen, J., Beaubien, J., Li, Z., Magnussen, S.: Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, 72:127
- Cihlar, J.: *See* Brown, L.
- Cihlar, J.: *See* Fraser, R. H.
- Conel, J.: *See* Privette, J. L.
- Coops, N., Culvenor, D.: Utilizing Local Variance of Simulated High Spatial Resolution Imagery to Predict Spatial Pattern of Forest Stands, 71:248
- Coppin, P. R.: *See* Stuckens, J.
- Coraboeuf, D.: *See* Lagouarde, J.-P.
- Culvenor, D.: *See* Coops, N.
- Daughtry, C. S. T., Walthall, C. L., Kim, M. S., Brown de Colstoun, E., McMurtrey, J. E., III.: Estimating Corn Leaf Chlorophyll Concentration from Leaf and Canopy Reflectance, 74:229
- Daughtry, C. S. T.: *See* Nagler, P. L.
- de Bruin, S.: Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, 74:387
- DeFries, R. S., Chan, J. C.-W.: Multiple Criteria for Evaluating Machine Learning Algorithms for Land Cover Classification from Satellite Data, 74:503
- De Grandi, G.: *See* Mayaux, P.
- de Jong, J., Klaassen, W., Ballast, A.: Rain Storage in Forests Detected with ERS Tandem Mission SAR, 72:170
- de Leeuw, G.: *See* Veefkind, J. P.
- Demarez, V., Gastellu-Etchegorry, J. P.: A Modeling Approach for Studying Forest Chlorophyll Content, 71:226
- De Pauw, E.: *See* Thenkabail, P. S.
- Derksen, C., LeDrew, E., Walker, A., Goodison, B.: Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, 71:297
- Domingues, C. M., Gonçalves, G. A., Ghisolfi, R. D., Garcia, C. A. E., Advective Surface Velocities Derived from Sequential Infrared Images in the Southwestern Atlantic Ocean, 73:218
- Douglas, D. C.: *See* Belchansky, G. I.
- Dozier, J.: *See* Nolin, A. W.
- Drzyzga, S. A.: *See* Brown, D. G.
- Dubovik, O.: *See* Smirnov, A.
- Dugdale, G.: *See* Morland, J. C.
- Duh, J.-D.: *See* Brown, D. G.
- Durand, D., Bijaoui, J., Cauneau, F.: Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, 73:152
- Dymond, J. R.: *See* Shepherd, J. D.
- Eck, T. F.: *See* Smirnov, A.
- Elmore, A. J., Mustard, J. F., Manning, S. J., Lobell, D. B.: Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, 73:87
- Emery, W. J.: Editor's Note, 73:115
- Engelsen, O.: *See* Solheim, I.
- Fenstermaker, L.: *See* McGwire, K.
- Fielding, E.: *See* Kenward, T.
- Flexas, J., Briantais, J.-M., Cerovic, Z., Medrano, H., Moya, I.: Steady-State and Maximum Chlorophyll Fluorescence Responses to Water Stress in Grapevine Leaves: A New Remote Sensing System, 73:283
- Flores, L. A., Martínez, L. I.: Land Cover Estimation in Small Areas Using Ground Survey and Remote Sensing, 74:240
- Forget, P.: *See* Lahet, F.
- Foster, J. L.: *See* Tait, A. B.
- Frangi, J.-P.: *See* Jacquemoud, S.
- Fraser, R. H., Li, Z., Cihlar, J.: Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, 74:362
- Freilikher, V.: *See* Blumberg, D. G.
- French, A. N., Schmugge, T. J., Kustas, W. P.: Discrimination of Senescent Vegetation Using Thermal Emissivity Contrast, 74:249
- Fromard, F.: *See* Proisy, C.
- Fujiwara, G.: *See* Yokouchi, K.



- Gamon, J. A.: *See* Serrano, L.
- Gan, T. Y.: *See* Singh, P. R.
- Ganapol, B. D.: *See* Yoshioka, H.
- Gao, B.-C., Li, R.-R.: Quantitative Improvement in the Estimates of NDVI Values from Remotely Sensed Data by Correcting Thin Cirrus Scattering Effects, 74:494
- Gao, X., Huete, A. R., Ni, W., Miura, T.: Optical-Biophysical Relationships of Vegetation Spectra without Background Contamination, 74:609
- Garcia, C. A. E.: *See* Domingues, C. M.
- García-Haro, F. J.: *See* Gilabert, M. A.
- Garrison, J. L., Katzberg, S. J.: The Application of Reflected GPS Signals to Ocean Remote Sensing, 73:175
- Garrison, J. L.: *See* Komjathy, A.
- Gastellu-Etchegorry, J. P.: *See* Demarez, V.
- Gelpi, C. G.: Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, 74:414
- Gemmell, F.: Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, 72:46
- Gemmell, F., McDonald, A. J.: View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, 72:139
- Gemmell, W. H.: *See* Krasnopolsky, V. M.
- Gerstl, S. A. W.: *See* Qin, W.
- Gerth, M.: *See* Siegel, H.
- Ghisolfi, R. D.: *See* Domingues, C. M.
- Gilabert, M. A., García-Haro, F. J., Meliá, J.: A Mixture Modeling Approach to Estimate Vegetation Parameters for Heterogeneous Canopies in Remote Sensing, 72:328
- Gill, S. J., Milliken, J., Beardsley, D., Warbington, R.: Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, 73:298
- Gonçalves, G. A.: *See* Domingues, C. M.
- González, A.: *See* Pérez, J. C.
- Goodenough, D. G.: *See* Wulder, M.
- Goodison, B.: *See* Derksen, C.
- Goward, S. N.: *See* Nagler, P. L.
- Gregson, K.: *See* Álvarez-Pérez, J.
- Grimes, D. I. F.: *See* Morland, J. C.
- Gross, H. N.: *See* Robinson, G. D.
- Guenther, G. C., Brooks, M. W., LaRocque, P. E.: New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, 73:247
- Guyon, D.: *See* Lagouarde, J.-P.
- Hall, D. K.: *See* Tait, A. B.
- Havstad, K.: *See* Rango, A.
- Havstad, K. M., Kustas, W. P., Rango, A., Ritchie, J. C., Schmugge, T. J.: Jornada Experimental Range: A Unique Arid Land Location for Experiments to Validate Satellite Systems, 74:13
- Herrera, F.: *See* Pérez, J. C.
- Hewison, T. J.: *See* Morland, J. C.
- Hill, G. J. E.: *See* Phinn, S. R.
- Hill, J., Schütt, B.: Mapping Complex Patterns of Erosion and Stability in Dry Mediterranean Ecosystems, 74:557
- Ho, C.-R., Kuo, N.-J., Zheng, Q., Soong, Y. S.: Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, 71:320
- Ho, C.-R.: *See* Kuo, N.-J.
- Hobson, P.: *See* Lucht, W.
- Hobson, P. D.: *See* Barnsley, M. J.
- Hoffmann, A. A.: *See* Siegert, F.
- Holben, B. N.: *See* Smirnov, A.
- Hosgood, B.: *See* Solheim, I.
- Howarth, P.: *See* Treitz, P.
- Hu, B., Inannen, K., Miller, J. R.: Retrieval of Leaf Area Index and Canopy Closure from CASI Data over the BOREAS Flux Tower Sites, 74:255
- Hu, B., Lucht, W., Strahler, A. H., Schaaf, C. B., Smith, M.: Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, 71:119
- Hu, C., Carder, K. L., Muller-Karger, F. E.: Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, 74:195
- Huemrich, K. F.: *See* Privette, J. L.
- Huete, A. R.: *See* Gao, X.
- Huete, A. R.: *See* Qi, J.
- Huete, A. R.: *See* Yoshioka, H.
- Hufford, G.: *See* Simpson, J. J.
- Hwang, P. A., Krabill, W. B., Wright, W., Swift, R. N., Walsh, E. J.: Airborne Scanning Lidar Measurement of Ocean Waves, 73:236
- Hyman, A. H.: *See* Barnsley, M. J.
- Hyman, A. H.: *See* Lucht, W.
- Inannen, K.: *See* Hu, B.
- Islam, S.: *See* Chang, D.-H.
- Jacquemoud, S., Bacour, C., Poilvé, H., Frangi, J.-P.: Comparison of Four Radiative Transfer Models to Simulate Plant Canopies Reflectance: Direct and Inverse Mode, 74:471
- Jin, Z.: *See* Simpson, J. J.
- Kafatos, M.: *See* Li, Z.
- Karam, M. A.: *See* Proisy, C.
- Katzberg, S. J.: *See* Garrison, J. L.
- Kaufmann, H.: *See* Thiemann, S.
- Kawamura, H.: *See* Luis, A. J.
- Kawamura, H.: *See* Tanahashi, S.

- Kawamura, H.: See Yokouchi, K.
- Kenward, T., Lettenmaier, D. P., Wood, E. F., Fielding, E.: Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, 74:432
- Kerr, Y.: See Nouvellon, Y.
- Kerr, Y.: See Wigneron, J.-P.
- Kerr, Y. H.: See Qi, J.
- Kim, K. E.: See Schetselaar, E. M.
- Kim, M. S.: See Daughtry, C. S. T.
- Klaassen, W.: See de Jong, J.
- Knyazikhin, Y.: See Shabanov, N. V.
- Koelemeijer, R. B. A.: See Veeffkind, J. P.
- Kogan, F. N.: Satellite-Observed Sensitivity of World Land Ecosystems to El Niño/La Niña, 74:445
- Komjathy, A., Zavorotny, V. U., Axelrad, P., Born, G. H., Garrison, J. L.: GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical Model, 73:162
- Kotlyar, A. L.: See Blumberg, D. G.
- Krabill, W. B.: See Hwang, P. A.
- Krasnopolsky, V. M., Gemmill, W. H., Breaker, L. C.: A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, 73:133
- Krasnopolsky, V. M.: See Breaker, L. C.
- Kuo, N.-J., Zheng, Q., Ho, C.-R.: Satellite Observation of Upwelling along the Western Coast of the South China Sea, 74:463
- Kuo, N.-J.: See Ho, C.-R.
- Kupfer, J. A.: See Allen, T. R.
- Kustas, W.: See Rango, A.
- Kustas, W. P., Norman, J. M.: Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, 74:327
- Kustas, W. P.: See French, A. N.
- Kustas, W. P.: See Havstad, K. M.
- Kuusk, A., Nilson, T.: A Directional Multispectral Forest Reflectance Model, 72:244
- Lagouarde, J.-P., Ballans, H., Moreau, P., Guyon, D., Coraboeuf, D.: Experimental Study of Brightness Surface Temperature Angular Variations of Maritime Pine (*Pinus pinaster*) Stands, 72:17
- Lahet, F., Ouillon, S., Forget, P.: A Three-Component Model of Ocean Color and Its Application in the Ebro River Mouth Area, 72:181
- Lancaster, N., Schaber, G. G., Teller, J. T.: Orbital Radar Studies of Paleodrainages in the Central Namib Desert, 71:216
- LaRocque, P. E.: See Guenther, G. C.
- Latifovic, R.: See Cihlar, J.
- Leblanc, S. G.: See Brown, L.
- LeDrew, E.: See Derksen, C.
- Le Hégarat-Masclé, S.: See Quesney, A.
- Leone, A. P., Sommer, S.: Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), 72:346
- Lettenmaier, D. P.: See Kenward, T.
- Li, R.-R.: See Gao, B.-C.
- Li, X.: See Chunchuzov, I.
- Li, X.: See Ni, W.
- Li, Z., Kafatos, M.: Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, 71:239
- Li, Z.: See Cihlar, J.
- Li, Z.: See Fraser, R. H.
- Liljeberg, B. M.: See Michelson, D. B.
- Lobell, D. B.: See Asner, G. P.
- Lobell, D. B.: See Elmore, A. J.
- Loumagne, C.: See Quesney, A.
- Lowenthal, D. H.: See Pérez, J. C.
- Lozano-García, D. F.: See Rio, J. N. R.
- Lucht, W., Hyman, A. H., Strahler, A. H., Barnsley, M. J., Hobson, P., Muller, J.-P.: A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, 74:85
- Lucht, W.: See Barnsley, M. J.
- Lucht, W.: See Hu, B.
- Luckman, A., Baker, J., Wegmüller, U.: Repeat-Pass Interferometric Coherence Measurements of Disturbed Tropical Forest from JERS and ERS Satellites, 73:350
- Luis, A. J., Kawamura, H.: Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, 73:55
- Lyalko, I. V.: See Blumberg, D. G.
- Maas, S. J.: Linear Mixture Modeling Approach for Estimating Cotton Canopy Ground Cover using Satellite Multispectral Imagery, 72:304
- Magnussen, S.: See Cihlar, J.
- Malingreau, J.-P.: See Mayaux, P.
- Manning, S. J.: See Elmore, A. J.
- Marshall, S. J.: See Álvarez-Pérez, J.
- Martínez, J.-M.: See Castel, T.
- Martínez, L. I.: See Flores, L. A.
- Matsakis, P., Andréfouët, S., Capolsini, P.: Evaluation of Fuzzy Partitions, 74:516
- Matsumoto, I.: See Yokouchi, K.
- Matsuura, T.: See Tanahashi, S.
- Maturi, E. M.: See Breaker, L. C.
- Mayaux, P., De Grandi, G., Malingreau, J.-P.: Central African Forest Cover Revisited: A Multisatellite Analysis, 71:183
- McDonald, A. J.: See Gemmell, F.
- McGwire, K., Minor, T., Fenstermaker, L.: Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, 72:360



- McIntire, T.: *See* Simpson, J. J.
- McMurtrey, J. E., III.: *See* Daughtry, C. S. T.
- Medrano, H.: *See* Flexas, J.
- Meliá, J.: *See* Gilabert, M. A.
- Menges, C.: *See* Phinn, S. R.
- Michelson, D. B., Liljeberg, B. M., Pilesjö, P.:  
Comparison of Algorithms for Classifying Swedish  
Landcover Using Landsat TM and ERS-1 SAR Data,  
71:1
- Miller, J. R.: *See* Hu, B.
- Miller, J. R.: *See* Zarco-Tejada, P. J.
- Milliken, J.: *See* Gill, S. J.
- Minor, T.: *See* McGwire, K.
- Miura, T.: *See* Gao, X.
- Miura, T.: *See* Yoshioka, H.
- Mohammed, G. H.: *See* Zarco-Tejada, P. J.
- Moran, M. S.: *See* Nouvellon, Y.
- Moran, M. S.: *See* Qi, J.
- Moreau, P.: *See* Lagouarde, J.-P.
- Morland, J. C., Grimes, D. I. F., Dugdale, G.,  
Hewison, T. J.: The Estimation of Land Surface  
Emissivities at 24 GHz to 157 GHz Using Remotely  
Sensed Aircraft Data, 73:323
- Mougin, E.: *See* Proisy, C.
- Moya, I.: *See* Flexas, J.
- Muller, J.-P.: *See* Barnsley, M. J.
- Muller, J.-P.: *See* Lucht, W.
- Muller-Karger, F. E.: *See* Hu, C.
- Mustard, J. F.: *See* Elmore, A. J.
- Myneni, R. B.: *See* Shabanov, N. V.
- Nagler, P. L., Daughtry, C. S. T., Goward, S. N.: Plant  
Litter and Soil Reflectance, 71:207
- Natarajan, K.: *See* Orun, A. B.
- Nemani, R. R.: *See* White, M. A.
- Ni, W., Li, X.: A Coupled Vegetation-Soil Bidirectional  
Reflectance Model for a Semiarid Landscape, 74:113
- Ni, W.: *See* Gao, X.
- Niemann, K. O.: *See* Wulder, M.
- Nilson, T.: *See* Kuusk, A.
- Noland, T. L.: *See* Zarco-Tejada, P. J.
- Nolin, A. W., Dozier, J.: A Hyperspectral Method for  
Remotely Sensing the Grain Size of Snow, 74:207
- Norman, J. M.: *See* Kustas, W. P.
- Normand, M.: *See* Quesney, A.
- Nouvellon, Y., Seen, D. L., Rambal, S., Bégué, A.,  
Moran, M. S., Kerr, Y., Qi, J.: Time Course of  
Radiation Use Efficiency in a Shortgrass Ecosystem:  
Consequences for Remotely Sensed Estimation of  
Primary Production, 71:43
- Okuda, K.: *See* Yokouchi, K.
- Olson, R.: *See* Privette, J. L.
- Orun, A. B., Natarajan, K., Aslan, Z.: A Comparative  
Study of Meteosat, ECMWF, and Radiosonde Wind  
Vectors at Istanbul, 72:309
- Ouillon, S.: *See* Lahet, F.
- Paillé, J.: *See* Zribi, M.
- Peñuelas, J.: *See* Serrano, L.
- Pérez, J. C., Herrera, F., Rosa, F., González, A.,  
Wetzel, M. A., Borys, R. D., Lowenthal, D. H.:  
Retrieval of Marine Stratus Cloud Droplet Size from  
NOAA-AVHRR Nighttime Imagery, 73:31
- Phinn, S.: *See* Scarth, P.
- Phinn, S. R., Menges, C., Hill, G. J. E., Stanford, M.:  
Optimizing Remotely Sensed Solutions for Monitoring,  
Modeling, and Managing Coastal Environments,  
73:117
- Pieri, D.: *See* Simpson, J. J.
- Pilesjö P.: *See* Michelson, D. B.
- Poivlé, H.: *See* Jacquemoud, S.
- Privette, J. L., Asner, G. P., Conel, J., Huemmrich,  
K. F., Olson, R., Rango, A., Rahman, A. F., Thome,  
K., Walter-Shea, E. A.: The EOS Prototype Validation  
Exercise (PROVE) at Jornada: Overview and Lessons  
Learned, 74:1
- Privette, J. L.: *See* Asner, G. P.
- Privette, J. L.: *See* White, M. A.
- Proisy, C., Mougin, E., Fromard, F., Karam, M. A.:  
Interpretation of Polarimetric Radar Signatures of  
Mangrove Forests, 71:56
- Qi, J., Kerr, Y. H., Moran, M. S., Weltz, M., Huete,  
A. R., Sorooshian, S., Bryant, R.: Leaf Area Index  
Estimates Using Remotely Sensed Data and BRDF  
Models in a Semiarid Region, 73:18
- Qi, J.: *See* Nouvellon, Y.
- Qin, W., Gerstl, S. A. W.: 3-D Scene Modeling of  
Semidesert Vegetation Cover and its Radiation  
Regime, 74:145
- Qong, M.: Sand Dune Attributes Estimated from SAR  
Images, 74:217
- Quesney, A., Le Hégarat-Masclé, S., Taconet, O.,  
Vidal-Madjar, D., Wigneron, J. P., Loumagne, C.,  
Normand, M.: Estimation of Watershed Soil Moisture  
Index from ERS/SAR Data, 72:290
- Rahman, A. F.: *See* Privette, J. L.
- Rambal, S.: *See* Nouvellon, Y.
- Rango, A., Chopping, M., Ritchie, J., Havstad, K.,  
Kustas, W., Schmugge, T.: Morphological  
Characteristics of Shrub Coppice Dunes in Desert  
Grasslands of Southern New Mexico derived from  
Scanning LIDAR, 74:26
- Rango, A.: *See* Havstad, K. M.
- Rango, A.: *See* Privette, J. L.
- Rio, J. N. R., Lozano-García, D. F.: Spatial Filtering of  
Radar Data (RADARSAT) for Wetlands (Brackish  
Marshes) Classification, 73:143
- Ritchie, J.: *See* Rango, A.
- Ritchie, J. C.: *See* Havstad, K. M.
- Roberts, D. A.: *See* Serrano, L.

- Robinson, G. D., Gross, H. N., Schott, J. R.: Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, 71:272
- Rosa, F.: *See* Pérez, J. C.
- Roujean, J.-L.: A Parametric Hot Spot Model for Optical Remote Sensing Applications, 71:197
- Running, S. W.: *See* White, M. A.
- Ryabokononko, A. D.: *See* Blumberg, D. G.
- Sampson, P. H.: *See* Zarco-Tejada, P. J.
- Sandmeier, S. R.: Acquisition of Bidirectional Reflectance Factor Data with Field Goniometers, 73:257
- Scarth, P., Phinn, S.: Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, 71:141
- Schaaf, C. B.: *See* Hu, B.
- Schaber, G. G.: *See* Lancaster, N.
- Schetselaar, E. M., Chung, C.-J. F., Kim, K. E.: Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, 71:89
- Schmugge, T.: *See* Rango, A.
- Schmugge, T. J.: *See* French, A. N.
- Schmugge, T. J.: *See* Havstad, K. M.
- Schott, J. R.: *See* Robinson, G. D.
- Schütt, B.: *See* Hill, J.
- Seen, D. L.: *See* Nouvellon, Y.
- Serrano, L., Ustin, S. L., Roberts, D. A., Gamon, J. A., Peñuelas, J.: Deriving Water Content of Chaparral Vegetation from AVIRIS Data, 74:570
- Shabanov, N. V., Knyazikhin, Y., Baret, F., Myneni, R. B.: Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, 74:125
- Shaw, A. G. P., Vennell, R.: A Front-Following Algorithm for AVHRR SST Imagery, 72:317
- Shepherd, J. D., Dymond, J. R.: BRDF Correction of Vegetation in AVHRR Imagery, 74:397
- Shevchenko, V. N.: *See* Blumberg, D. G.
- Siegel, H., Gerth, M.: Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, 73:207
- Siegert, F., Hoffmann, A. A.: The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, 72:64
- Simpson, J. J., Hufford, G., Pieri, D., Berg, J.: Failures in Detecting Volcanic Ash from a Satellite-Based Technique, 72:191
- Simpson, J. J., McIntire, T., Jin, Z., Stitt, J. R.: Improved Cloud Top Height Retrieval under Arbitrary Viewing and Illumination Conditions Using AVHRR Data, 72:95
- Singh, P. R., Gan, T. Y.: Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, 74:275
- Slutsker, I.: *See* Smirnov, A.
- Smirnov, A., Holben, B. N., Eck, T. F., Dubovik, O., Slutsker, I.: Cloud-Screening and Quality Control Algorithms for the AERONET Database, 73:337
- Smith, M.: *See* Hu, B.
- Smith, R. B.: *See* Thenkabail, P. S.
- Solheim, I., Engelsen, O., Hosgood, B., Andreoli, G.: Measurement and Modeling of the Spectral and Directional Reflection Properties of Lichen and Moss Canopies, 72:78
- Sommer, S.: *See* Leone, A. P.
- Soong, Y. S.: *See* Ho, C.-R.
- Sorooshian, S.: *See* Qi, J.
- Stammes, P.: *See* Veeffkind, J. P.
- Stanford, M.: *See* Phinn, S. R.
- Steele, B. M.: Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, 74:545
- Stehman, S. V.: Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, 72:35
- Stitt, J. R.: *See* Simpson, J. J.
- Strahler, A. H.: *See* Barnsley, M. J.
- Strahler, A. H.: *See* Hu, B.
- Strahler, A. H.: *See* Lucht, W.
- Strozzi, T.: *See* Castel, T.
- Stuckens, J., Coppin, P. R., Bauer, M. E.: Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, 71:282
- Swift, R. N.: *See* Hwang, P. A.
- Taconet, O.: *See* Quesney, A.
- Taconet, O.: *See* Zribi, M.
- Tait, A. B., Hall, D. K., Foster, J. L., Armstrong, R. L.: Utilizing Multiple Datasets for Snow-Cover Mapping, 72:111
- Takahashi, T.: *See* Tanahashi, S.
- Takeshi, K.: *See* Yokouchi, K.
- Tanahashi, S., Kawamura, H., Matsuura, T., Takahashi, T., Yusa, H.: Improved Estimates of Hourly Insolation from GMS S-VISSR Data, 74:409
- Tanis, F. J.: Introduction, 73:116
- Teller, J. T.: *See* Lancaster, N.
- Thenkabail, P. S., Smith, R. B., De Pauw, E.: Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, 71:158
- Thiemann, S., Kaufmann, H.: Determination of Chlorophyll Content and Trophic State of Lakes Using Field Spectrometer and IRS-1C Satellite Data in the Mecklenburg Lake District, Germany, 73:227
- Thome, K.: *See* Privette, J. L.
- Tokola, T.: The Influence of Field Sample Data Location on Growing Stock Volume Estimation in

- Landsat TM-Based Forest Inventory in Eastern Finland, 74:422.
- Townsend, P. A.: A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, 72:253
- Treitz, P., Howarth, P.: High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, 72:268
- Tsai, C.-H.: *See* Cheng, K.-S.
- Ustin, S. L.: *See* Serrano, L.
- Vachon, P. W.: *See* Chunchuzov, I.
- Veefkind, J. P., de Leeuw, G., Stammes, P., Koelemeijer, R. B. A.: Regional Distribution of Aerosol over Land, Derived from ATSR-2 and GOME, 74:377
- Vennell, R.: *See* Shaw, A. G. P.
- Verbyla, D. L.: *See* Boles, S. H.
- Vidal-Madjar, D.: *See* Quesney, A.
- Vulfson, L. D.: *See* Blumberg, D. G.
- Waldteufel, P.: *See* Wigneron, J.-P.
- Walker, A.: *See* Derksen, C.
- Walsh, E. J.: *See* Hwang, P. A.
- Walter-Shea, E. A.: *See* Privette, J. L.
- Walthall, C. L.: *See* Daughtry, C. S. T.
- Warbington, R.: *See* Gill, S. J.
- Watson, K.: A Diurnal Animation of Thermal Images from a Day-Night Pair, 72:237
- Wegmüller, U.: *See* Castel, T.
- Wegmüller, U.: *See* Luckman, A.
- Weltz, M.: *See* Qi, J.
- Wessman, C. A.: *See* Asner, G. P.
- Wetzel, M. A.: *See* Pérez, J. C.
- White, M. A., Asner, G. P., Nemani, R. R., Privette, J. L., Running, S. W.: Measuring Fractional Cover and Leaf Area Index in Arid Ecosystems: Digital Camera, Radiation Transmittance, and Laser Altimetry Methods, 74:45
- Wigneron, J.-P., Waldteufel, P., Chanzy, A., Calvet, J.-C., Kerr, Y.: Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), 73:270
- Wigneron, J. P.: *See* Quesney, A.
- Wood, E. F.: *See* Kenward, T.
- Wright, W.: *See* Hwang, P. A.
- Wulder, M., Niemann, K. O., Goodenough, D. G.: Local Maximum Filtering for the Extraction of Tree Locations and Basal Area from High Spatial Resolution Imagery, 73:103
- Yeh, H.-C.: *See* Cheng, K.-S.
- Yokouchi, K., Takeshi, K., Matsumoto, I., Fujiwara, G., Kawamura, H., Okuda, K.: OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, 73:188
- Yoshioka, H., Miura, T., Huete, A. R., Ganapol, B. D.: Analysis of Vegetation Isolines in Red-NIR Reflectance Space, 74:313
- Yusa, H.: *See* Tanahashi, S.
- Zarco-Tejada, P. J., Miller, J. R., Mohammed, G. H., Noland, T. L.: Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, 74:582
- Zarco-Tejada, P. J., Miller, J. R., Mohammed, G. H., Noland, T. L., Sampson, P. H.: Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data, 74:596
- Zavorotny, V. U.: *See* Komjathy, A.
- Zheng, Q.: *See* Ho, C.-R.
- Zheng, Q.: *See* Kuo, N.-J.
- Zribi, M., Ciarletti, V., Taconet, O.: Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, 73:65
- Zribi, M., Ciarletti, V., Taconet, O., Paillé, J., Boissard, P.: Characterisation of the Soil Structure and Microwave Backscattering Based on Numerical Three-Dimensional Surface Representation: Analysis with a Fractional Brownian Model, 72:159



# Subject Index for Volumes 71–74

## Accuracy Assessment

- An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, K.-S. Cheng, H.-C. Yeh, C.-H. Tsai, 73:46
- Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, B. M. Steele, 74:545
- Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1
- Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106
- Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, W. P. Kustas, J. M. Norman, 74:327
- The Influence of Field Sample Data Location on Growing Stock Volume Estimation in Landsat TM-Based Forest Inventory in Eastern Finland, T. Tokola, 74:422
- Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87
- A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253
- Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, S. V. Stehman, 72:35
- Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, S. J. Gill, J. Milliken, D. Beardsley, R. Warbington, 73:298

## Aircraft Observations

- Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, T. Kenward, D. P. Lettenmaier, E. F. Wood, E. Fielding, 74:432
- The Estimation of Land Surface Emissivities at 24 GHz to 157 GHz Using Remotely Sensed Aircraft Data,

J. C. Morland, D. I. F. Grimes, G. Dugdale, T. J. Hewison, 73:323

## Algorithms

- Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, G. I. Belchansky, D. C. Douglas, 73:307
- Cloud-Screening and Quality Control Algorithms for the AERONET Database, A. Smirnov, B. N. Holben, T. F. Eck, O. Dubovik, I. Slutsker, 73:337
- Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesj, 71:1
- Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1
- A Front-Following Algorithm for AVHRR SST Imagery, A. G. P. Shaw, R. Vennell, 72:317
- Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163
- Multiple Criteria for Evaluating Machine Learning Algorithms for Land Cover Classification from Satellite Data, R. S. DeFries, J. C.-W. Chan, 74:503
- A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133
- Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, P. R. Singh, T. Y. Gan, 74:275
- Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26
- Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127
- Spatial Filtering of Radar Data (RADARSAT) for Wetlands (Brackish Marshes) Classification, J. Noriega Rivera Rio, D. F. Lozano-García, 73:143

## Altimetry

- Dynamically Active Areas in the South China Sea



Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320

Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, C. M. Birkett, 72:218

### Animation

A Diurnal Animation of Thermal Images from a Day-Night Pair, K. Watson, 72:237

### Area Estimation

Land Cover Estimation in Small Areas Using Ground Survey and Remote Sensing, L. A. Flores, L. I. Martínez, 74:240

Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26

Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, S. de Bruin, 74:387

### Atmosphere Properties

Failures in Detecting Volcanic Ash from a Satellite-Based Technique, J. J. Simpson, G. Hufford, D. Pieri, J. Berg, 72:191

Regional Distribution of Aerosol over Land, Derived from ATSR-2 and GOME, J. Pepijn Veefkind, G. de Leeuw, P. Stammes, R. B. A. Koelemeijer, 74:377

Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, C. G. Gelpi, 74:414

### Atmospheric Effects

Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, I. Chunchuzov, P. W. Vachon, X. Li, 74:343

### AVHRR

BRDF Correction of Vegetation in AVHRR Imagery, J. D. Shepherd, J. R. Dymond, 74:397

Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1

Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183

The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64

A Front-Following Algorithm for AVHRR SST Imagery, A. G. P. Shaw, R. Vennell, 72:317

Improved Cloud Top Height Retrieval under Arbitrary Viewing and Illumination Conditions Using AVHRR

Data, J. J. Simpson, T. McIntire, Z. Jin, J. R. Stitt, 72:95

Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, Z. Li, M. Kafatos, 71:239

Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163

Retrieval of Marine Stratus Cloud Droplet Size from NOAA-AVHRR Nighttime Imagery, J. C. Pérez, F. Herrera, F. Rosa, A. González, M. A. Wetzel, R. D. Borys, D. H. Lowenthal, 73:31

Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463

Satellite-Observed Sensitivity of World Land Ecosystems to El Niño/La Niña, F. N. Kogan, 74:445

Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119

Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, C. M. Birkett, 72:218

Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

### Canopy Reflectance Modeling

Comparison of Four Radiative Transfer Models to Simulate Plant Canopies Reflectance: Direct and Inverse Mode, S. Jacquemoud, C. Bacour, H. Poilvé, J.-P. Frangi, 74:471

A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

### Change Detection

Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce-Fir Forests, T. R. Allen, J. A. Kupfer, 74:482

Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362

### Chlorophyll

Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, C. Hu, K. L. Carder, F. E. Muller-Karger, 74:195

Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, 74:582

Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data,

- P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, P. H. Sampson, 74:596
- Determination of Chlorophyll Content and Trophic State of Lakes Using Field Spectrometer and IRS-1C Satellite Data in the Mecklenburg Lake District, Germany, S. Thiemann, H. Kaufmann, 73:227
- Estimating Corn Leaf Chlorophyll Concentration from Leaf and Canopy Reflectance, C. S. T. Daughtry, C. L. Walthall, M. S. Kim, E. Brown de Colstoun, J. E. McMurtrey III, 74:229
- A Modeling Approach for Studying Forest Chlorophyll Content, V. Demarez, J. P. Gastellu-Etcheberry, 71:226
- OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, K. Yokouchi, K. Takeshi, I. Matsumoto, G. Fujiwara, H. Kawamura, and K. Okuda, 73:188
- Steady-State and Maximum Chlorophyll Fluorescence Responses to Water Stress in Grapevine Leaves: A New Remote Sensing System, J. Flexas, J.-M. Briantais, Z. Cerovic, H. Medrano, I. Moya, 73:283

### **Climate**

- Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, Z. Li, M. Kafatos, 71:239

### **Clouds**

- Cloud-Screening and Quality Control Algorithms for the AERONET Database, A. Smirnov, B. N. Holben, T. F. Eck, O. Dubovik, I. Slutsker, 73:337
- A Comparative Study of Meteosat, ECMWF, and Radiosonde Wind Vectors at Istanbul, A. B. Orun, K. Natarajan, Z. Aslan, 72:309
- Improved Cloud Top Height Retrieval under Arbitrary Viewing and Illumination Conditions Using AVHRR Data, J. J. Simpson, T. McIntire, Z. Jin, J. R. Stitt, 72:95
- Improved Estimates of Hourly Insolation from GMS S-VISSR Data, S. Tanahashi, H. Kawamura, T. Matsuura, T. Takahashi, H. Yusa, 74:409
- Quantitative Improvement in the Estimates of NDVI Values for Remotely Sensed Data by Correcting Thin Cirrus Scattering Effects, B.-C. Gao, R.-R. Li, 74:494
- Retrieval of Marine Stratus Cloud Droplet Size from NOAA-AVHRR Nighttime Imagery, J. C. Pérez, F. Herrera, F. Rosa, A. González, M. A. Wetzels, R. D. Borys, D. H. Lowenthal, 73:31

### **Coastal Environments**

- Advective Surface Velocities Derived from Sequential Infrared Images in the Southwestern Atlantic Ocean, C. M. Domingues, G. A. Gonçalves, R. D. Ghisolfi, C. A. E. Garcia, 73:218

- Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, C. Hu, K. L. Carder, F. E. Muller-Karger, 74:195
- GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, L. C. Breaker, V. M. Krasnopolsky, E. M. Maturi, 73:198
- New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247
- OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, K. Yokouchi, K. Takeshi, I. Matsumoto, G. Fujiwara, H. Kawamura, and K. Okuda, 73:188
- Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152
- Optimizing Remotely Sensed Solutions for Monitoring, Modeling, and Managing Coastal Environments, S. R. Phinn, C. Menges, G. J. E. Hill, M. Stanford, 73:117
- Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463
- Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, H. Siegel, M. Gerth, 73:207
- Spatial Filtering of Radar Data (RADARSAT) for Wetlands (Brackish Marshes) Classification, J. Noriega Rivera Rio, D. F. Lozano-García, 73:143
- A Three-Component Model of Ocean Color and Its Application in the Ebro River Mouth Area, F. Lahet, S. Ouillon, P. Forget, 72:181
- Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

### **Crops**

- Estimating Corn Leaf Chlorophyll Concentration from Leaf and Canopy Reflectance, C. S. T. Daughtry, C. L. Walthall, M. S. Kim, E. Brown de Colstoun, J. E. McMurtrey III, 74:229
- Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, P. S. Thenkabail, R. B. Smith, E. De Pauw, 71:158
- Land Cover Estimation in Small Areas Using Ground Survey and Remote Sensing, L. A. Flores, L. I. Martínez, 74:240
- Linear Mixture Modeling Approach for Estimating Cotton Canopy Ground Cover using Satellite Multispectral Imagery, S. J. Mass, 72:304
- Mapping Complex Patterns of Erosion and Stability in Dry Mediterranean Ecosystems, J. Hill, B. Schütt, 74:557
- Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, S. de Bruin, 74:387



**3D Modeling**

- 3-D Scene Modeling of Semidesert Vegetation Cover and Its Radiation Regime, W. Qin, S. A. W. Gerstl, 74:145
- Optical-Biophysical Relationships of Vegetation Spectra without Background Contamination, X. Gao, A. R. Huete, W. Ni, T. Miura, 74:609

**Desert** (*See also* Jornada)

- Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, W. P. Kustas, J. M. Norman, 74:327
- Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, K. McGwire, T. Minor, L. Fenstermaker, 72:360
- Leaf Area Index Estimates Using Remotely Sensed Data and BRDF Models in a Semiarid Region, J. Qi, Y. H. Kerr, M. S. Moran, M. Weltz, A. R. Huete, S. Sorooshian, R. Bryant, 73:18
- Orbital Radar Studies of Paleodrainages in the Central Namib Desert, N. Lancaster, G. G. Schaber, J. T. Teller, 71:216
- Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87
- Sand Dune Attributes Estimated from SAR Images, M. Qong, 74:217
- Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area and the Negev Desert, D. G. Blumberg, V. Freilikher, I. V. Lyalko, L. D. Vulfson, A. L. Kotlyar, V. N. Shevchenko, A. D. Ryabokonenko, 71:309

**El Niño/La Niña**

- Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320
- Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, Z. Li, M. Kafatos, 71:239
- Satellite-Observed Sensitivity of World Land Ecosystems to El Niño/La Niña, F. N. Kogan, 74:445

**Environmental Damage**

- Cloud-Screening and Quality Control Algorithms for the AERONET Database, A. Smirnov, B. N. Holben, T. F. Eck, O. Dubovik, I. Slutsker, 73:337
- Regional Distribution of Aerosol over Land, Derived from ATSR-2 and GOME, J. Pepijn Veefkind, G. de Leeuw, P. Stammes, R. B. A. Koelemeijer, 74:377

**Estimating Production**

- Time Course of Radiation Use Efficiency in a Shortgrass

Ecosystem: Consequences for Remotely Sensed Estimation of Primary Production, Y. Nouvellon, D. Lo Seen, S. Rambal, A. Bégué, M. S. Moran, Y. Kerr, J. Qi, 71:43

**Field Measurements** (*See also* Jornada)

- Acquisition of Bidirectional Reflectance Factor Data with Field Goniometers, S. R. Sandmeier, 73:257

**Fire**

- Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1
- The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
- Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362

**Floods**

- Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, H. Siegel, M. Gerth, 73:207

**Forests**

- Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce-Fir Forests, T. R. Allen, J. A. Kupfer, 74:482
- Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183
- Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, 74:582
- Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, P. H. Sampson, 74:596
- Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, P. Scarth, S. Phinn, 71:141
- A Directional Multispectral Forest Reflectance Model, A. Kuusk, T. Nilson, 72:244
- ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73
- Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106
- Experimental Study of Brightness Surface Temperature Angular Variations of Maritime Pine (*Pinus pinaster*)

- Stands, J.-P. Lagouarde, H. Ballans, P. Moreau, D. Guyon, D. Coraboeuf, 72:17
- The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
- High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, P. Treitz, P. Howarth, 72:268
- Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362
- The Influence of Field Sample Data Location on Growing Stock Volume Estimation in Landsat TM-Based Forest Inventory in Eastern Finland, T. Tokola, 74:422
- Interpretation of Polarimetric Radar Signatures of Mangrove Forests, C. Proisy, E. Mougin, F. Fromard, M. A. Karam, 71:56
- Local Maximum Filtering for the Extraction of Tree Locations and Basal Area from High Spatial Resolution Imagery, M. Wulder, K. O. Niemann, D. G. Goodenough, 73:103
- A Modeling Approach for Studying Forest Chlorophyll Content, V. Demarez, J. P. Gastellu-Etchegorry, 71:226
- A Parametric Hot Spot Model for Optical Remote Sensing Applications, J.-L. Roujean, 71:197
- A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253
- Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170
- Repeat-Pass Interferometric Coherence Measurements of Disturbed Tropical Forest from JERS and ERS Satellites, A. Luckman, J. Baker, U. Wegmüller, 73:350
- Retrieval of Leaf Area Index and Canopy Closure from CASI Data over the BOREAS Flux Tower Sites, B. Hu, K. Inannen, J. R. Miller, 74:255
- A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16
- Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46
- Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, S. J. Gill, J. Milliken, D. Beardsley, R. Warbington, 73:298
- Utilizing Local Variance of Simulated High Spatial Resolution Imagery To Predict Spatial Pattern of Forest Stands, N. Coops, D. Culvenor, 71:248
- View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, F. Gemmell, A. J. McDonald, 72:139
- Fuzzy**
- Evaluation of Fuzzy Partitions, P. Matsakis, S. Andréfouët, P. Capolsini, 74:516
- A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253
- Gamma-Ray Spectrometry**
- Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89
- Geology**
- Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89
- Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), A. P. Leone, S. Sommer, 72:346
- Orbital Radar Studies of Paleodrainages in the Central Namib Desert, N. Lancaster, G. G. Schaber, J. T. Teller, 71:216
- Geometric-Optical Model**
- Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, P. Scarth, S. Phinn, 71:141
- Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46
- Utilizing Local Variance of Simulated High Spatial Resolution Imagery To Predict Spatial Pattern of Forest Stands, N. Coops, D. Culvenor, 71:248
- GOES**
- GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, L. C. Breaker, V. M. Krasnopolsky, E. M. Maturi, 73:198
- GPS**
- The Application of Reflected GPS Signals to Ocean Remote Sensing, J. L. Garrison, S. J. Katzberg, 73:175
- GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical Model, A. Komjathy, V. U. Zavorotny, P. Axelrad, G. H. Born, J. L. Garrison, 73:162
- New Capabilities of the "SHOALS" Airborne Lidar



Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247

### Grasslands

Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26  
Testing a LiSK BRDF Model with in Situ Bidirectional Reflectance Factor Measurements over Semiarid Grasslands, M. J. Chopping, 74:287  
Time Course of Radiation Use Efficiency in a Shortgrass Ecosystem: Consequences for Remotely Sensed Estimation of Primary Production, Y. Nouvellon, D. Lo Seen, S. Rambal, A. Bégué, M. S. Moran, Y. Kerr, J. Qi, 71:43

### Hot Spot Model

A Parametric Hot Spot Model for Optical Remote Sensing Applications, J.-L. Roujean, 71:197

### Hydrologic Modeling

Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, T. Kenward, D. P. Lettenmaier, E. F. Wood, E. Fielding, 74:432

### Images

An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, K.-S. Cheng, H.-C. Yeh, C.-H. Tsai, 73:46  
Evaluation of Fuzzy Partitions, P. Matsakis, S. Andréfouët, P. Capolsini, 74:516  
Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, G. D. Robinson, H. N. Gross, J. R. Schott, 71:272  
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26  
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127

### Integral Equation Model

Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, R. Bindlish, A. P. Barros, 71:67

### Jornada, New Mexico, Experimental Range

A Biogeophysical Approach for Automated SWIR Unmixing of Soils and Vegetation, G. P. Asner, D. B. Lobell, 74:99  
Characterizing the Spatial Variability of Broadband Albedo in a Semidesert Environment for MODIS

Validation, M. J. Barnsley, P. D. Hobson, A. H. Hyman, W. Lucht, J.-P. Muller, A. H. Strahler, 74:58  
A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, W. Lucht, A. H. Hyman, A. H. Strahler, M. J. Barnsley, P. Hobson, J.-P. Muller, 74:85  
A Coupled Vegetation-Soil Bidirectional Reflectance Model for a Semiarid Landscape, W. Ni, X. Li, 74:113  
3-D Scene Modeling of Semidesert Vegetation Cover and Its Radiation Regime, W. Qin, S. A. W. Gerstl, 74:145  
The EOS Prototype Validation Exercise (PROVE) at Jornada: Overview and Lessons Learned, J. L. Privette, G. P. Asner, J. Conel, K. F. Huemmrich, R. Olson, A. Rango, A. F. Rahman, K. Thome, E. A. Walter-Shea, 74:1  
Impact of Tissue, Canopy, and Landscape Factors on the Hyperspectral Reflectance Variability of Arid Ecosystems, G. P. Asner, C. A. Wessman, C. A. Bateson, J. L. Privette, 74:69  
Jornada Experimental Range: A Unique Arid Land Location for Experiments to Validate Satellite Systems, K. M. Havstad, W. P. Kustas, A. Rango, J. C. Ritchie, T. J. Schmugge, 74:13  
Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163  
Measuring Fractional Cover and Leaf Area Index in Arid Ecosystems: Digital Camera, Radiation Transmittance, and Laser Altimetry Methods, M. A. White, G. P. Asner, R. R. Nemani, J. L. Privette, S. W. Running, 74:45  
Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26  
Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, N. V. Shabanov, Y. Knyazikhin, F. Baret, R. B. Myneni, 74:125

### Lakes

Determination of Chlorophyll Content and Trophic State of Lakes Using Field Spectrometer and IRS-1C Satellite Data in the Mecklenburg Lake District, Germany, S. Thiemann, H. Kaufmann, 73:227  
Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, C. M. Birkett, 72:218

### Land Cover

Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, B. M. Steele, 74:545  
Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesjö, 71:1

Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, J. Stuckens, P. R. Coppin, M. E. Bauer, 71:282

Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26

Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127

Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119

### **Landsat TM**

Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce-Fir Forests, T. R. Allen, J. A. Kupfer, 74:482

Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesjö, 71:1

Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, P. Scarth, S. Phinn, 71:141

The Influence of Field Sample Data Location on Growing Stock Volume Estimation in Landsat TM-Based Forest Inventory in Eastern Finland, T. Tokola, 74:422

Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, J. Stuckens, P. R. Coppin, M. E. Bauer, 71:282

A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

### **Landscape Metrics**

Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106

### **Leaf Area Index**

Leaf Area Index Estimates Using Remotely Sensed Data and BRDF Models in a Semiarid Region, J. Qi, Y. H. Kerr, M. S. Moran, M. Weltz, A. R. Huete, S. Sorooshian, R. Bryant, 73:18

Measuring Fractional Cover and Leaf Area Index in Arid Ecosystems: Digital Camera, Radiation Transmittance, and Laser Altimetry Methods, M. A. White, G. P. Asner, R. R. Nemani, J. L. Privette, S. W. Running, 74:45

Retrieval of Leaf Area Index and Canopy Closure from

CASI Data over the BOREAS Flux Tower Sites, B. Hu, K. Inannen, J. R. Miller, 74:255

A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

### **Lidar**

Airborne Scanning Lidar Measurement of Ocean Waves, P. A. Hwang, W. B. Krabill, W. Wright, R. N. Swift, E. J. Walsh, 73:236

Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26

New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247

### **Magnetic Data**

Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89

### **Mapping**

Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, G. D. Robinson, H. N. Gross, J. R. Schott, 71:272

Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89

Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, S. J. Gill, J. Milliken, D. Beardsley, R. Warbington, 73:298

Utilizing Multiple Datasets for Snow-Cover Mapping, A. B. Tait, D. K. Hall, J. L. Foster, R. L. Armstrong, 72:111

### **Microwave Sensing**

Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, G. I. Belchansky, D. C. Douglas, 73:307

The Estimation of Land Surface Emissivities at 24 GHz to 157 GHz Using Remotely Sensed Aircraft Data, J. C. Morland, D. I. F. Grimes, G. Dugdale, T. J. Hewison, 73:323

Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, C. Derksen, E. LeDrew, A. Walker, B. Goodison, 71:297

A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133



Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, P. R. Singh, T. Y. Gan, 74:275

Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270

Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

### Mixture Models

Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, K. McGwire, T. Minor, L. Fenstermaker, 72:360

### Neural Network

Estimation of Soil Physical Properties Using Remote Sensing and Artificial Neural Network, D.-H. Chang, S. Islam, 74:534

A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133

### North American Landscape Characterization (NALC)

Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106

### Ocean (See also Sea Surface Properties)

Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, C. Hu, K. L. Carder, F. E. Muller-Karger, 74:195

Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320

A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133

New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247

Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152

Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, C. G. Gelpi, 74:414

Satellite Derived Sea Surface Temperature Variability Off California During the Upwelling Season, E. M. Armstrong, 73:1

A Three-Component Model of Ocean Color and Its

Application in the Ebro River Mouth Area, F. Lahet, S. Ouillon, P. Forget, 72:181

Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

### Ocean Color

OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, K. Yokouchi, K. Takeshi, I. Matsumoto, G. Fujiwara, H. Kawamura, and K. Okuda, 73:188

### Optical Remote Sensing

Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152

A Parametric Hot Spot Model for Optical Remote Sensing Applications, J.-L. Roujean, 71:197

### Photosynthesis

Evaluation of a Model Adaptable to Satellite Data for Estimating Daily Gross Photosynthesis, B. J. Choudhury, 71:133

### Plant Litter

Plant Litter and Soil Reflectance, P. L. Nagler, C. S. T. Daughtry, S. N. Goward, 71:207

### Radar

Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, I. Chunchuzov, P. W. Vachon, X. Li, 74:343

Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183

Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesjö, 71:1

ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73

Estimation of Watershed Soil Moisture Index from ERS/SAR Data, A. Quesney, S. Le Hégarat-Masclé, O. Taconet, D. Vidal-Madjar, J. P. Wigneron, C. Loumagne, M. Normand, 72:290

The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64

Interpretation of Polarimetric Radar Signatures of Mangrove Forests, C. Proisy, E. Mougin, F. Fromard, M. A. Karam, 71:56

Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, R. Bindlish, A. P. Barros, 71:67

Orbital Radar Studies of Paleodrainages in the Central Namib Desert, N. Lancaster, G. G. Schaber, J. T. Teller, 71:216

Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170

Repeat-Pass Interferometric Coherence Measurements of Disturbed Tropical Forest from JERS and ERS Satellites, A. Luckman, J. Baker, U. Wegmüller, 73:350

Resolution Improvement of ERS Scatterometer Data Over Land by Wiener Filtering, J. L. Álvarez-Pérez, S. J. Marshall, K. Gregson, 71:261

Sand Dune Attributes Estimated from SAR Images, M. Qong, 74:217

Spatial Filtering of Radar Data (RADARSAT) for Wetlands (Brackish Marshes) Classification, J. Noriega Rivera Rio, D. F. Lozano-García, 73:143

Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

### **Radiation Modeling**

Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

### **Rain**

The Estimation of Land Surface Emissivities at 24 GHz to 157 GHz Using Remotely Sensed Aircraft Data, J. C. Morland, D. I. F. Grimes, G. Dugdale, T. J. Hewison, 73:323

Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170

### **Reflectance Measurement**

Acquisition of Bidirectional Reflectance Factor Data with Field Goniometers, S. R. Sandmeier, 73:257

A Biogeophysical Approach for Automated SWIR Unmixing of Soils and Vegetation, G. P. Asner, D. B. Lobell, 74:99

BRDF Correction of Vegetation in AVHRR Imagery, J. D. Shepherd, J. R. Dymond, 74:397

Characterizing the Spatial Variability of Broadband Albedo in a Semidesert Environment for MODIS Validation, M. J. Barnsley, P. D. Hobson, A. H. Hyman, W. Lucht, J.-P. Muller, A. H. Strahler, 74:58

A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, W. Lucht, A. H. Hyman, A. H. Strahler, M. J. Barnsley, P. Hobson, J.-P. Muller, 74:85

Deriving Water Content of Chaparral Vegetation from

AVIRIS Data, L. Serrano, S. L. Ustin, D. A. Roberts, J. A. Gamon, J. Peñuelas, 74:570

Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, P. S. Thenkabail, R. B. Smith, E. De Pauw, 71:158

Impact of Tissue, Canopy, and Landscape Factors on the Hyperspectral Reflectance Variability of Arid Ecosystems, G. P. Asner, C. A. Wessman, C. A. Bateson, J. L. Privette, 74:69

Measurement and Modeling of the Spectral and Directional Reflection Properties of Lichen and Moss Canopies, I. Solheim, O. Engelsen, B. Hosgood, G. Andreoli, 72:78

A Modeling Approach for Studying Forest Chlorophyll Content, V. Demarez, J. P. Gastellu-Etchegorry, 71:226

Plant Litter and Soil Reflectance, P. L. Nagler, C. S. T. Daughtry, S. N. Goward, 71:207

Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119

Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46

### **Reflectance Modeling**

A Coupled Vegetation-Soil Bidirectional Reflectance Model for a Semiarid Landscape, W. Ni, X. Li, 74:113

A Directional Multispectral Forest Reflectance Model, A. Kuusk, T. Nilson, 72:244

Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163

Leaf Area Index Estimates Using Remotely Sensed Data and BRDF Models in a Semiarid Region, J. Qi, Y. H. Kerr, M. S. Moran, M. Wertz, A. R. Huete, S. Sorooshian, R. Bryant, 73:18

A Mixture Modeling Approach to Estimate Vegetation Parameters for Heterogeneous Canopies in Remote Sensing, M. A. Gilabert, F. J. García-Haro, J. Meliá, 72:328

Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152

Retrieval of Leaf Area Index and Canopy Closure from CASI Data over the BOREAS Flux Tower Sites, B. Hu, K. Inannen, J. R. Miller, 74:255

Testing a LiSK BRDF Model with in Situ Bidirectional Reflectance Factor Measurements over Semiarid Grasslands, M. J. Chopping, 74:287

A Three-Component Model of Ocean Color and Its Application in the Ebro River Mouth Area, F. Lahet, S. Ouillon, P. Forget, 72:181

### **Resolution**

Resolution Improvement of ERS Scatterometer Data



Over Land by Wiener Filtering, J. L. Álvarez-Pérez, S. J. Marshall, K. Gregson, 71:261

Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26

Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127

### Rivers

Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, H. Siegel, M. Gerth, 73:207

### Sampling Inference

Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, S. V. Stehman, 72:35

### Scatterometer

Resolution Improvement of ERS Scatterometer Data Over Land by Wiener Filtering, J. L. Álvarez-Pérez, S. J. Marshall, K. Gregson, 71:261

Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area and the Negev Desert, D. G. Blumberg, V. Freilikher, I. V. Lyalko, L. D. Vulfson, A. L. Kotlyar, V. N. Shevchenko, A. D. Ryabokononko, 71:309

### Sea Ice

Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, G. I. Belchansky, D. C. Douglas, 73:307

### Sea Surface Properties

Advective Surface Velocities Derived from Sequential Infrared Images in the Southwestern Atlantic Ocean, C. M. Domingues, G. A. Gonçalves, R. D. Ghisolfi, C. A. E. Garcia, 73:218

Airborne Scanning Lidar Measurement of Ocean Waves, P. A. Hwang, W. B. Krabill, W. Wright, R. N. Swift, E. J. Walsh, 73:236

The Application of Reflected GPS Signals to Ocean Remote Sensing, J. L. Garrison, S. J. Katzberg, 73:175

Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320

GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, L. C. Breaker, V. M. Krasnopolsky, E. M. Maturi, 73:198

GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical

Model, A. Komjathy, V. U. Zavorotny, P. Axelrad, G. H. Born, J. L. Garrison, 73:162

Satellite Derived Sea Surface Temperature Variability Off California During the Upwelling Season, E. M. Armstrong, 73:1

Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463

Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

### Shortwave Infrared

A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

### Snow

A Hyperspectral Method for Remotely Sensing the Grain Size of Snow, A. W. Nolin, J. Dozier, 74:207

Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, C. Derksen, E. LeDrew, A. Walker, B. Goodison, 71:297

Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, P. R. Singh, T. Y. Gan, 74:275

Utilizing Multiple Datasets for Snow-Cover Mapping, A. B. Tait, D. K. Hall, J. L. Foster, R. L. Armstrong, 72:111

### Soil Properties

Characterisation of the Soil Structure and Microwave Backscattering Based on Numerical Three-Dimensional Surface Representation: Analysis with a Fractional Brownian Model, M. Zribi, V. Ciarletti, O. Taconet, J. Paillé, P. Boissard, 72:159

Estimation of Soil Physical Properties Using Remote Sensing and Artificial Neural Network, D.-H. Chang, S. Islam, 74:534

Estimation of Watershed Soil Moisture Index from ERS/SAR Data, A. Quesney, S. Le Hégarat-Masclé, O. Taconet, D. Vidal-Madjar, J. P. Wigneron, C. Loumagne, M. Normand, 72:290

Mapping Complex Patterns of Erosion and Stability in Dry Mediterranean Ecosystems, J. Hill, B. Schütt, 74:557

Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, R. Bindlish, A. P. Barros, 71:67

Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), A. P. Leone, S. Sommer, 72:346

Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area

and the Negev Desert, D. G. Blumberg, V. Freilikh, I. V. Lyalko, L. D. Vulfson, A. L. Kotlyar, V. N. Shevchenko, A. D. Ryabokononko, 71:309

Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270

Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

### **Spatial Modeling**

An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, K.-S. Cheng, H.-C. Yeh, C.-H. Tsai, 73:46

Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, S. de Bruin, 74:387

### **Spatial Resolution**

High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, P. Treitz, P. Howarth, 72:268

Local Maximum Filtering for the Extraction of Tree Locations and Basal Area from High Spatial Resolution Imagery, M. Wulder, K. O. Niemann, D. G. Goodenough, 73:103

Utilizing Local Variance of Simulated High Spatial Resolution Imagery To Predict Spatial Pattern of Forest Stands, N. Coops, D. Culvenor, 71:248

### **Spectral Data**

A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, W. Lucht, A. H. Hyman, A. H. Strahler, M. J. Barnsley, P. Hobson, J.-P. Muller, 74:85

Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, G. D. Robinson, H. N. Gross, J. R. Schott, 71:272

Linear Mixture Modeling Approach for Estimating Cotton Canopy Ground Cover using Satellite Multispectral Imagery, S. J. Mass, 72:304

Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46

### **Spectral Indices**

Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), A. P. Leone, S. Sommer, 72:346

Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral

Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87

View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, F. Gemmell, A. J. McDonald, 72:139

### **Statistics**

Characterisation of the Soil Structure and Microwave Backscattering Based on Numerical Three-Dimensional Surface Representation: Analysis with a Fractional Brownian Model, M. Zribi, V. Ciarletti, O. Taconet, J. Paillé, P. Boissard, 72:159

### **Stochastic Modeling**

Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, N. V. Shabanov, Y. Knyazikhin, F. Baret, R. B. Myneni, 74:125

### **Surface Temperature**

Experimental Study of Brightness Surface Temperature Angular Variations of Maritime Pine (*Pinus pinaster*) Stands, J.-P. Lagouarde, H. Ballans, P. Moreau, D. Guyon, D. Coraboeuf, 72:17

Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270

### **Temporal**

Improved Estimates of Hourly Insolation from GMS S-VISSR Data, S. Tanahashi, H. Kawamura, T. Matsuura, T. Takahashi, H. Yusa, 74:409

Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, C. Derksen, E. LeDrew, A. Walker, B. Goodison, 71:297

Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87

### **Thematic Mapping**

Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, S. V. Stehman, 72:35

### **Thermal Measurements**

Discrimination of Senescent Vegetation Using Thermal Emissivity Contrast, A. N. French, T. J. Schmugge, W. P. Kustas, 74:249

A Diurnal Animation of Thermal Images from a Day-Night Pair, K. Watson, 72:237

A Front-Following Algorithm for AVHRR SST Imagery, A. G. P. Shaw, R. Vennell, 72:317



**Topography**

- Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, T. Kenward, D. P. Lettenmaier, E. F. Wood, E. Fielding, 74:432
- ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73
- Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico Derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
- Sand Dune Attributes Estimated from SAR Images, M. Qong, 74:217

**Validation** (*See also* Jornada)

- A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133
- Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

**Vegetation Indices**

- Analysis of Vegetation Isolines in Red-NIR Reflectance Space, H. Yoshioka, T. Miura, A. R. Huete, B. D. Ganapol, 74:313
- Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, K. McGwire, T. Minor, L. Fenstermaker, 72:360
- Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, P. S. Thenkabail, R. B. Smith, E. De Pauw, 71:158
- Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, Z. Li, M. Kafatos, 71:239
- A Mixture Modeling Approach to Estimate Vegetation Parameters for Heterogeneous Canopies in Remote Sensing, M. A. Gilabert, F. J. García-Haro, J. Meliá, 72:328
- Optical-Biophysical Relationships of Vegetation Spectra without Background Contamination, X. Gao, A. R. Huete, W. Ni, T. Miura, 74:609
- Plant Litter and Soil Reflectance, P. L. Nagler, C. S. T. Daughtry, S. N. Goward, 71:207
- Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119
- Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87
- Quantitative Improvement in the Estimates of NDVI Values for Remotely Sensed Data by Correcting Thin Cirrus Scattering Effects, B.-C. Gao, R.-R. Li, 74:494

- View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, F. Gemmel, A. J. McDonald, 72:139

**Vegetation Mapping**

- BRDF Correction of Vegetation in AVHRR Imagery, J. D. Shepherd, J. R. Dymond, 74:397
- Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183
- Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, B. M. Steele, 74:545
- ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73
- The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
- High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, P. Treitz, P. Howarth, 72:268
- Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362
- Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, J. Stuckens, P. R. Coppin, M. E. Bauer, 71:282
- Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
- Multiple Criteria for Evaluating Machine Learning Algorithms for Land Cover Classification from Satellite Data, R. S. DeFries, J. C.-W. Chan, 74:503
- A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253

**Vegetation Properties**

- Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, 74:582
- Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, P. H. Sampson, 74:596
- Comparison of Four Radiative Transfer Models to Simulate Plant Canopies Reflectance: Direct and Inverse Mode, S. Jacquemoud, C. Bacour, H. Poilvé, J.-P. Frangi, 74:471
- Deriving Water Content of Chaparral Vegetation from

- AVIRIS Data, L. Serrano, S. L. Ustin, D. A. Roberts, J. A. Gamon, J. Peñuelas, 74:570
- Discrimination of Senescent Vegetation Using Thermal Emissivity Contrast, A. N. French, T. J. Schmugge, W. P. Kustas, 74:249
- Measurement and Modeling of the Spectral and Directional Reflection Properties of Lichen and Moss Canopies, I. Solheim, O. Engelsen, B. Hosgood, G. Andreoli, 72:78
- Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170
- Steady-State and Maximum Chlorophyll Fluorescence Responses to Water Stress in Grapevine Leaves: A New Remote Sensing System, J. Flexas, J.-M. Briantais, Z. Cerovic, H. Medrano, I. Moya, 73:283
- Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, N. V. Shabanov, Y. Knyazikhin, F. Baret, R. B. Myneni, 74:125
- Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270

### **Volcanoes**

- Failures in Detecting Volcanic Ash from a Satellite-Based Technique, J. J. Simpson, G. Hufford, D. Pieri, J. Berg, 72:191

### **Water Properties**

- Deriving Water Content of Chaparral Vegetation from AVIRIS Data, L. Serrano, S. L. Ustin, D. A. Roberts, J. A. Gamon, J. Peñuelas, 74:570

- Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, C. G. Gelpi, 74:414

### **Wind**

- Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, I. Chunchuzov, P. W. Vachon, X. Li, 74:343
- The Application of Reflected GPS Signals to Ocean Remote Sensing, J. L. Garrison, S. J. Katzberg, 73:175
- A Comparative Study of Meteosat, ECMWF, and Radiosonde Wind Vectors at Istanbul, A. B. Orun, K. Natarajan, Z. Aslan, 72:309
- Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, W. P. Kustas, J. M. Norman, 74:327
- GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical Model, A. Komjathy, V. U. Zavorotny, P. Axelrad, G. H. Born, J. L. Garrison, 73:162
- Improved Estimates of Hourly Insolation from GMS S-VISSR Data, S. Tanahashi, H. Kawamura, T. Matsuura, T. Takahashi, H. Yusa, 74:409
- A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133
- Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463
- Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55